

References



References (1 of 11)

- Alpert D.J. and Hopke P.K. (1980) A quantitative determination of sources in the Boston urban aerosol. *Atmos. Environ.* **14**, 1137-1146.
- Bay Area Air Quality Management District (2005) Air quality glossary. Available on the Internet at <<http://www.baaqmd.gov/dst/glossary.htm>> last accessed September 1, 2005.
- Begum B.A., Kim E., Jeong C.H., Lee D.W., and Hopke P. (2005) Evaluation of the potential source contribution function using the 2002 Quebec forest fire episode. *Atmos. Environ.* **39**, 3719-3724.
- Berkowitz C.M., Xie Y.-L., Jolly J., and Estes M. (2004) Receptor modeling and analysis: early first results from the 2003 enhanced Houston Auto-GC network. Presented at the *TERC Science Advisory Committee (SAC) Meeting, October 13*. Available on the Internet at <<http://www.harc.edu/harc/Projects/AirQuality/Documents/Meetings/20041013/Presentation09.pdf>> last accessed September 8, 2005.
- Blifford I.H. and Meeker G.O. (1967) A factor analysis model of large scale pollution. *Atmos. Environ.* **1**, 147-157.
- California Air Resources Board (2003) Glossary of air pollution terms. Available on the Internet at <<http://arbis.arb.ca.gov/html/gloss.htm>> last accessed September 1, 2005.
- Chan Y.C., Simpson R.W., Mctainsh G.H., Vowles P.D., Cohen D.D., and Bailey G.M. (1999) Source apportionment of PM_{2.5} and PM₁₀ aerosols in Brisbane (Australia) by receptor modeling. *Atmos. Environ.* **33**, 3251-3268.
- Chen L.W.A., Doddridge B.G., Dickerson R.R., Chow J.C., and Henry R.C. (2002) Origins of fine aerosol mass in the Baltimore-Washington corridor: implications from observation, factor analysis, and ensemble air parcel back trajectories. *Atmos. Environ.* **36** (28), 4541-4554.
- Cheng M., Gao N., and Hopke P.K. (1996) Source apportionment study of nitrogen species measured in southern California in 1987. *J. Environ. Eng.* **122** (3), 183-190, March.

References (2 of 11)

- Chow J.C., Watson J.G., Egami R.T., Frazier C.A., and Lu Z. (1989) The State of Nevada Air Pollution Study (SNAPS): Executive summary. Prepared for the State of Nevada, Carson City, NV, by Desert Research Institute, Reno, NV, DRI 8086.5E.
- Chow J.C., Waston J.G., Egami R.T., Frazier C.A., Lu Z., Goodrich A., and Bird A. (1990) Evaluation of regenerative-air vacuum street sweeping on geological contributions to PM₁₀. *J Air Waste Manag Assoc* **40** (8), 1134-1142.
- Chow J.C. (1995) Measurement methods to determine compliance with ambient air quality standards for suspected particles. *J. Air & Waste Manag. Assoc.* **45**, 320-382.
- Chow J.C. (1998) Descriptive data analysis methods. Presentation prepared for the U.S. Environmental Protection Agency, Research Triangle Park, NC by Desert Research Institute, Reno, NV, November.
- Chow J.C. and Watson J.G. (1998) Guideline on speciated particulate monitoring. Third draft report prepared for U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards, Research Triangle Park, NC, by Desert Research Institute, Reno, NV, August.
- Chow J.C., Watson J.G., Chen L.W.A., Arnott W.P., and Moosmuller H. (2004) Equivalence of elemental carbon by thermal/optical reflectance and transmittance with different temperature protocols. *Environ. Sci. Technol.* **38** (16), 4414-4422.
- Cooper J.A., Miller E.A., Redline D.C., Caldwell R.L., Sarver R.H., and Tansey B.L. (1989) PM10 Source Apportionment of Utah Valley winter episodes before, during and after closure of the West Orem Steel Plant. 54pp. and 11 appendices.

References (3 of 11)

- Coutant B.W., Engel-Cox J., and Swinton K.E. (2003) Compilation of existing studies on source apportionment for PM_{2.5}. Second draft technical report prepared for the U.S. Environmental Protection Agency, Research Triangle Park, NC, by Battelle, Columbus, OH, Contract No. 68-D-02-061, Work Assignment 1-05, Document ID OAR-2003-0053-0007, August.
- Davis B.L. and Maughan A.D. (1984) Observation of heavy metal compounds in suspended particulate matter at East Helena, Montana. *J. Air Pollut. Control Assoc.* **34** (12), 1198-1202.
- Friedlander S.K. (1973) Chemical element balances and identification of air pollution sources. *Environ. Sci. Technol.* **7**, 235-240.
- Fujita E.M., Croes B.E., Bennett C.L., Lawson D.R., Lurmann F.W., and Main H.H. (1992) Comparison of emission inventory and ambient concentration ratios of CO, NMOG, and NO_x in California's South Coast Air Basin. *J. Air & Waste Manag. Assoc.* **42**, 264-276.
- Fujita E.M., Watson J.G., Chow J.C., and Lu Z. (1994) Validation of the chemical mass balance receptor model applied to hydrocarbon source apportionment in the Southern California Air Study. *Environ. Sci. Technol.* **28**, 1633-1649.
- Garrenstrom P.D., Perone S.P., and Moyers J.L. (1977) *Environmental Science and Technology II*, 795-800.
- Hafner H.R., Brown S.G., and Simon E.M. (2003) Comparison of collocated PM₁₀ mass, PM_{2.5} mass, and PM_{2.5} speciation measurements at the Phoenix Supersite. Technical memorandum prepared for Arizona Department of Environmental Quality, Phoenix, AZ, by Sonoma Technology, Inc., Petaluma, CA, STI-903172-2397, July.
- Hafner H.R., Brown S.G., and Anderson D. (2004) Source apportionment of PM_{2.5} in Phoenix, Arizona, using positive matrix factorization. Presented at the *Air and Waste Management Association's Regional and Global Perspectives on Haze: Causes, Consequences and Controversies - Visibility Specialty Conference, Asheville, NC, October 25-29* by Sonoma Technology, Inc., Petaluma, CA (STI-2512).

References (4 of 11)

- Henry R.C., Lewis C.W., Hopke P.K., and Williamson H.J. (1984) Review of receptor model fundamentals. *Atmos. Environ.* **18** (8), 1507-1515.
- Henry R.C. (1997) History and fundamentals of multivariate air quality receptor models. *Chemometrics and Intelligent Laboratory Systems* **37**, 525-530.
- Henry R.C. (2000) Unmix Version 2 Manual. Available on the Internet at <<http://www.epa.gov/ttnamti1/files/ambient/pm25/workshop/unmix2.pdf>> last accessed September 9, 2005.
- Henry R.C. (2002) Receptor modeling. In *Encyclopedia of Environmetrics*, A.H. El-Shaarawi and W.W. Piegorsch eds., John Wiley & Sons, Ltd, Chichester, 1706-1721.
- Hidy G.M. and Friedlander S.K. (1971) The nature of the Los Angeles aerosol. In proceedings from the *Second International Clean Air Congress*, 391-404, Academic Press, New York.
- Hopke P.K., Gladney E.S., Gordon G.E., Zoller W.H., and Jones A.G. (1976) *Atmos. Environ.* **10**, 1015-1025.
- Hopke P.K., Ramadan Z., Paatero P., Norris G., Landis M., Williams R., and Lewis C.W. (2003) Receptor Modeling of Ambient and Personal Exposure Samples: 1998 Baltimore Particulate Matter Epidemiology-Exposure Study. *Atmos. Environ.* **37**, 3289-3302.
- Hopke P.K., ed. (1991) *Receptor Modeling for Air Quality Management. Data handling in science and technology*, Vol. 7, Elsevier Science, Amsterdam.
- Houck J.E., Cooper J.A., Core J.E., Frazier C.A., and deCesar R.T. (1981) Hamilton Road Dust Study: particulate source apportionment analysis using the chemical mass balance receptor model. Prepared for the Concord Scientific Corporation by NEA Laboratories, Inc., Beaverton, OR.

References (5 of 11)

- Houck J.E., Cooper J.A., Frazier C.A., and deCesar R.T. (1982) East Helena Source Apportionment Study: particulate source apportionment analysis using the chemical mass balance receptor model. Prepared for the State of Montana, Department of Health & Environmental Sciences, Helena, MT, by NEA Laboratories, Inc., Beaverton, OR.
- Huang S., Rahn K.A., and Arimoto R. (1999) Testing and optimizing two factor-analysis techniques on aerosol at Narragansett, Rhode Island. *Atmos. Environ.* **33**, 2169-2185.
- Kim D., Sass-Kortsak A., Purdham J.T., Dales R.E., and Brook J.R. (2005a) Sources of personal exposure to fine particles in Toronto, Canada. *J Air Waste Manag Assoc* **55**, 1134-1146.
- Kim E., Hopke P.K., and Edgerton E.S. (2003) Source identification of Atlanta aerosol by positive matrix factorization. *J. Air & Waste Manage. Assoc.* **53**, 731-739.
- Kim E. and Hopke P.K. (2004a) Improving source identification of fine particles in a rural northeastern U.S. area utilizing temperature-resolved carbon fractions. *J. Geophys. Res.* **109** (D9).
- Kim E. and Hopke P.K. (2004b) Source apportionment of fine particles at Washington, DC, utilizing temperature-resolved carbon fractions. *J. Air & Waste Manage. Assoc.* **54** (7), 773-785.
- Kim E., Hopke P.K., Larson T.V., and Covert D.S. (2004a) Analysis of ambient particle size distributions using UNMIX and positive matrix factorization. *Environ. Sci. Technol.* **38** (1), 202-209.
- Kim E., Hopke P.K., Larson T.V., Maykut N.N., and Lewtas J. (2004b) Factor analysis of Seattle fine particles. *Aerosol Sci. Technol.* **38** (7), 724-738.
- Kim E., Hopke P.K., Kenski D.M., and Koerber M. (2005b) Sources of fine particles in a rural midwestern U.S. area. *Environmental Science and Technology* (39), 4953-4960.
- Kim E., Hopke P.K., and Qin Y. (2005c) Estimation of organic carbon blank values and error structures of the speciation trends network data for source apportionment. *J. Air & Waste Manag. Assoc.* **55**, 1190-1199. Lindsey C.G., Chen J., Dye T.S., Richards L.W., and Blumenthal D.L. (1999) Meteorological processes affecting the transport of emissions from the Navajo Generating Station to Grand Canyon National Park. *J. Appl. Meteorol.* **38** (No. 8), 1031-1048.

References (6 of 11)

- Larsen R.K. and Baker J.E. (2003) Source apportionment of polycyclic aromatic hydrocarbons in the urban atmosphere: a comparison of three methods. *Environ. Sci. Technol.* **37** (9), 1873-1881.
- Lee E., Chan C.K., and Paatero P. (1999) Application of positive matrix factorization in source apportionment of particulate pollutants in Hong Kong. *Atmos. Environ.* **33**, 3201-3212.
- Lee J.H., Yoshida Y., Turpin B.J., Hopke P.K., Poirot R.L., Lioy P.J., and Oxley J.C. (2002) Identification of sources contributing to mid-Atlantic regional aerosol. *J. Air & Waste Manage. Assoc.* **52**, 1186-1205.
- Lewis C.W., Norris G.A., Conner T.L., and Henry R.C. (2003) Source apportionment of Phoenix PM_{2.5} aerosol with the Unmix receptor model. *J. Air & Waste Manage. Assoc.* **53** (3), 325-338
- Lioy P.J., Samson P.J., Tanner R.L., Leaderer B.P., Minnich T., and Lyons W.A. (1980) The distribution and transport of sulfate "species" in the New York area during the 1977 Summer Aerosol Study. *Atmos. Environ.* (14), 1391-1407.
- Liu W., Hopke P.K., and VanCuren R.A. (2003) Origins of fine aerosol mass in the western United States using positive matrix factorization. *J. Geophys. Res.* **108**, Paper No. 4716 (D23).
- Main H.H. (2000) Analysis of air toxics data collected in Barrio Logan, California. Presented at the *Barrio Logan Toxics Monitoring Stakeholders Meeting, September 21* (STI-900800-2011).
- Malm W.C., Gebhart K.A., Latimer D.A., Cahill T., Eldred R., Pielke R., Stocker R., and Watson J.G. (1989) National Park Service Report on the Winter Haze Intensive Tracer Experiment. Report prepared by the National Park Service, Ft. Collins, CO, December.
- Malm W.C., Sisler J.F., Huffman D., Eldred R.A., and Cahill T.A. (1994) Spatial and seasonal trends in particulate concentration and optical extinction in the United States. *J. Geophys. Res.* **99** (D1), 1347-1370.
- Maykut N.N., Lewtas J., Kim E., and Larson T.V. (2003) Source Apportionment of PM_{2.5} at an Urban IMPROVE Site in Seattle, Washington. *Environ. Sci. Technol.* **37**, 5135-5142.

References (7 of 11)

- Miller M.S., Friedlander S.K., and Hidy G.M. (1972) A chemical element balance for the Pasadena aerosol. *J. Colloid Interface Sci.* **39** (1), 165-176.
- Minnesota Pollution Control Agency (2005) General glossary. Available on the Internet at <<http://www.pca.state.mn.us/gloss/>> last accessed September 1, 2005.
- Mueller P.K., Hidy G.M., Baskett R.L., Fung K.K., Henry R.C., Lavery T.F., Nordi N.J., Lloyd A.C., Thrasher J.W., Warren K.K., and Watson J.G. (1983) Sulfate Regional Experiment (SURE): report of findings. Report prepared by Electric Power Research Institute, Palo Alto, CA, Document EA-1901.
- National Park Service (2005) Glossary of terms used by the NPS Inventory and Monitoring Program. Available on the Internet at <<http://science.nature.nps.gov/im//monitor/glossary.htm>> last accessed September 1, 2005.
- Paatero P. and Tapper U. (1994) Positive matrix factorization: a non-negative factor model with optimal utilization of error estimates of data values. *Environmetrics* **5**, 111-126.
- Paatero P. (1997) Least squares formulation of robust non-negative factor analysis. *Chemometrics and Intelligent Laboratory Systems* **37**, 23-35.
- Paatero P., Hopke P.K., and Philip K. (2003) Discarding or downweighting high-noise variables in factor analytic models. *Anal. Chim. Acta* **490**, 277-289.
- Pitchford M.L., Green M.C., Kuhns H.D., Tombach I.H., Malm W.C., Scruggs M., Farber R.J., Mirabella V.A., White W.H., McDade C., Watson J.G., Koracin D., Hoffer T.E., Lowenthal D.H., and Vimont J.C. (1999) Project MOHAVE. Final report prepared for the U.S. Environmental Protection Agency, Region IX, San Francisco, CA. Available on the Internet at <<http://www.epa.gov/region09/air/mohave/report.html>> last accessed August 31, 2005.

References (8 of 11)

- Pitchford M.L., Tombach I., Barna M., Gebhart K.A., Green M.C., Knipping E., Kumar N., Malm W.C., Pun B., Schichtel B.A., and Seigneur C. (2004) Big Bend Regional Aerosol and Visibility Observational Study. Final report prepared for the U.S. Environmental Protection Agency, National Park Service and governmental agencies from Mexico, by the National Oceanic and Atmospheric Administration, Las Vegas, NV; Colorado State University, Ft. Collins, CO; National Park Service, Air Resources Division, Ft. Collins, CO; Desert Research Institute, Las Vegas, NV; EPRI, Palo Alto, CA; and Atmospheric and Environmental Research, Inc., San Ramon, CA, September.
- Pnnz B. and Stratmann H. (1968) *Staub*.
- Poirot R. (1998) Tracers of opportunity: Potassium. Available on the Internet at <<http://capita.wustl.edu/PMFine/Workgroup/SourceAttribution/Reports/In-progress/potass/Kcover.htm>>.
- Poirot R., Wishinski P., Schichtel B., and Girton P. (1998) Air trajectory pollution climatology for the Lake Champlain Basin. Draft paper presented at *1998 symposium of the Lake Champlain Research Consortium*. Available on the Internet at <<http://capita.wustl.edu/neardat/Reports/TechnicalReports/lakchamp/lchmpair.htm>>.
- Poirot R. (1999a) Draft PM2.5 topic summary. Available on the Internet at <http://capita.wustl.edu/PMFine/Workbook/PMTTopics_PPT/PMAnlysisByStates/sld001.htm>.
- Poirot R. (1999b) Personal communication and information. Available on the Internet at <<http://capita.wustl.edu/neardat/activities/July99/July99.htm>>.
- Poirot R. (1999c) Potential effects of data artifacts on receptor modeling results. *U.S. EPA Workshop on Applying UNMIX and PMF to PM2.5 Data, February 14-16, 1999*. Available on the Internet at <<http://www.epa.gov/ttn/amtic/files/ambient/pm25/workshop/mdler.pdf>> last accessed August 25, 2005.
- Poirot R. (2003) Personal communication between Mr. Richard Poirot, Vermont Department of Environmental Conservation, and Hilary R. Hafner, Sonoma Technology, Inc., Petaluma, CA.

References (9 of 11)

- Polissar A.V., Hopke P.K., Paatero P., Malm W.C., and Sisler J.F. (1998) Atmospheric aerosol over Alaska 2. Elemental composition and sources. *J. Geophys. Res.* **103** (15), 19045-19057.
- Raffuse S.M., Brown S.G., Sullivan D.C., and Chinkin L.R. (2005) Estimating regional contributions to atmospheric haze. Presented at the *2005 ESRI International User Conference, San Diego, CA, July 26* (STI-2649).
- Raffuse S.M., Sullivan D.C., and Chinkin L.R. (2005) Emission impact potential - a method for relating upwind emissions to ambient pollutant concentrations. Presented at *the U.S. Environmental Protection Agency 14th International Emission Inventory Conference, Las Vegas, NV, April 11-14* by Sonoma Technology, Inc., Petaluma, CA (STI-2715, STI-2722). Available on the Internet at <<http://www.epa.gov/ttn/chief/conference/ei14/session2/raffuse.pdf>> last accessed September 2, 2005.
- Rahn K.A. and Lowenthal D.H. (1984) Elemental traces of distant regional pollution aerosols. *Science* (232), 132-139.
- Ramadan Z., Song X.-H., and Hopke P.K. (2000) Identification of sources of Phoenix aerosol by positive matrix factorization. *J. Air & Waste Manage. Assoc.* **50**, 1308-1320.
- Rogge W.F. (1993) Molecular tracers of sources of atmospheric carbon particles: measurements and model predictions. Ph.D. Dissertation, California Institute of Technology, Pasadena, CA
- Sam Houston State University (2005) Atmospheric chemistry glossary. Web site prepared for the Sam Houston State University, Huntsville, TX, by the Department of Chemistry.
- Song X.H., Polissar A.V., and Hopke P.K. (2001) Sources of fine particle composition in the northeastern U.S. *Atmos. Environ.* **35** (31), 5277-5286.
- South Coast Air Quality Management District (1996) 1997 air quality maintenance plan: Appendix V, Modeling and attainment demonstrations. Prepared for the South Coast Air Quality Management District, Diamond Bar, CA. Available on the Internet at <<http://www.aqmd.gov/aqmp/97aqmp/>> last accessed August 31, 2005.

References (10 of 11)

- U.S. Environmental Protection Agency (1984) Quality assurance handbook for air pollution measurement systems, Volume II: ambient air specific methods (interim edition). EPA/600/R-94/0386, April.
- U.S. Environmental Protection Agency (1998) Code of Federal Regulations, Part 50. National primary and secondary ambient air quality standards. Available on the Internet at <http://earth1.epa.gov/epacfr40/chapt_1.info/subch_C/40P0050.pdf>.
- U.S. Environmental Protection Agency (1999) Particulate matter (PM_{2.5}) speciation guidance document. Available on the Internet at <<http://www.epa.gov/ttn/amtic/files/ambient/pm25/spec/specpln3.pdf>>.
- U.S. Environmental Protection Agency (2002) The plain English guide to the Clean Air Act: Glossary. Available on the Internet at <http://www.epa.gov/oar/oaqps/peg_caa/pegcaa10.html#topic10> last accessed September 1, 2005.
- U.S. Environmental Protection Agency (2005) AIRTrends 1997 report: list of acronyms. Available on the Internet at <<http://www.epa.gov/air/airtrends/aqtrnd97/acron.html>> last accessed September 1, 2005.
- Watson J.G. (1979) Chemical element balance receptor model methodology for assessing the source of fine and total particulate matter. Ph.D. Dissertation, Oregon Graduate Center, Portland, OR, University Microfilms International, Ann Arbor, MI.
- Watson J.G. (1984) Overview of receptor model principles. *J. Air Poll. Cont. Assoc.* **34** (6), 619-623.
- Watson J.G., Chow J.C., Richards L.W., Neff W.D., Andersen S.R., Dietrich D.L., Houck J.E., and Olmez I. (1988) The 1987-88 Metro Denver Brown Cloud Study. Volume III: data interpretation. Final report prepared for 1987-88 Metro Denver Brown Cloud Study, Inc., Denver, CO, by Desert Research Institute, Reno, NV, DRI Document No. 8810.1F3, October.

References (11 of 11)

- Watson J.G., Fujita E.M., Chow J.C., Zielinska B., Richards L.W., Neff W., and Dietrich D. (1998) Northern front range air quality study. Final report prepared for Colorado State University, Cooperative Institute for Research in the Atmosphere, Fort Collins, CO, by Desert Research Institute, Reno, NV, STI-996410-1772-FR, June.
- Watson J.G. and Chow J.C. (2005) Source apportionment and emission reduction strategies. *AWMA Specialty Conference, San Francisco, CA, April.*
- White W. (2005) IMPROVE network at the Crocker Nuclear Laboratory at U.C. Davis, Davis, CA. Telephone conversation with Michael McCarthy, Sonoma Technology, Inc., Petaluma, CA. July 12.
- Winchester J.W. and Nifong G.D. (1971) Water pollution in Lake Michigan by trace elements from pollution aerosol fallout. *Water Air and Soil Pollution* (1), 50-64.
- Wolff G.T., Lioy P.J., Wright G.D., Meyers R.E., and Cederwall R.T. (1977) An investigation of long-range transport of ozone across the midwestern and eastern United States. *Atmos. Environ.* (11), 797-802.
- Wongphatarakul V., Friedlander S.K., and Pinto J.P. (1998) A comparative study of PM_{2.5} ambient aerosol chemical databases. *Environ. Sci. Technol.* **32** (24), 3926-3934.
- Zhao W. and Hopke P.K. (2004) Source apportionment for ambient particles in the San Geronio wilderness. *Atmos. Environ.* **38**, 5901-5910.
- Zhou L.M., Hopke P.K., Paatero P., Ondov J.M., Pancras J.P., Pekney N.J., and Davidson C.I. (2004) Advanced factor analysis for multiple time resolution aerosol composition data. *Atmos. Environ.* **38** (29), 4909-4920.